DataHub EDR Log

Tue Dec 01, 2015 07:23:33
Well Dossier 1436178691
Timothy Carr

OPERATOR: Northeast Natural Energy, LLC
WELL: MIP 3H
FIELD:
LOCATION:
COUNTRY: USA
RIG: US Energy Expl 9

CONTRACTOR: US Energy Exploration
UNIQUE WELL ID:
SPUD DATE: Jul 06, 2015 22:15
RELEASE DATE: Jul 15, 2015 01:00



MEMOS

0.00ft: HOLE DEPTH CHANGED TO 58.0 FEET
58.00ft: BIT DEPTH CHANGED TO 40.8 FEET
58.00ft: ZWOB from SideKick sk-06-03-3887
58.83ft: ZWOB from SideKick sk-06-03-3887
72.82ft: Connection at 71.5
72.82ft: ZWOB from SideKick sk-06-03-3887
104.27ft: Connection at 102.6
104.27ft: ZWOB from SideKick sk-06-03-3887
137.09ft: Connection at 133.7
137.09ft: ZWOB from SideKick sk-06-03-3887
137.09ft: IN TALLY: HOLE DEPTH SET TO 133.7
165.75ft: Connection at 164.1
165.75ft: ZWOB from SideKick sk-06-03-3887
196.05ft: Connection at 195.3
196.05ft: ZWOB from SideKick sk-06-03-3887
226.77ft: Connection at 226.4
226.77ft: ZWOB from SideKick sk-06-03-3887
255.05ft: Connection at 255.3
255.05ft: ZWOB from SideKick sk-06-03-3887
284.48ft: Connection at 284.3
284.48ft: ZWOB from SideKick sk-06-03-3887
289.96ft: ZWOB from SideKick sk-06-03-3887
318.38ft: Connection at 319.1
349.68ft: Connection at 350.8
349.68ft: ZWOB from SideKick sk-06-03-3887
380.98ft: Connection at 382.6
381.13ft: ZWOB from SideKick sk-06-03-3887
412.29ft: Connection at 414.3
412.29ft: ZWOB from SideKick sk-06-03-3887
443.88ft: Connection at 446.1
443.88ft: ZWOB from SideKick sk-06-03-3887
474.75ft: Connection at 477.9
474.75ft: ZWOB from SideKick sk-06-03-3887
505.91ft: Connection at 509.4
505.91ft: ZWOB from SideKick sk-06-03-3887
505.91ft: IN TALLY: HOLE DEPTH SET TO 509.4
540.84ft: INSTALL AIR HEAD
540.84ft: BIT DEPTH CHANGED TO 440.0 FEET
540.84ft: ZWOB from SideKick sk-06-03-3887
540.84ft: ZWOB from SideKick sk-06-03-3887
540.84ft: TAG CEMENT @ 456'
540.84ft: ZWOB from SideKick sk-06-03-3887
541.15ft: WASH HOLE
541.15ft: TOOH
541.15ft: PICK UP HAMMER
541.15ft: ZWOB from SideKick sk-06-03-3887
541.15ft: BIT DEPTH CHANGED TO 508.5 FEET
541.15ft: ZWOB from SideKick


09:45 740
10:00 760
10:08 780
10:22 800
10:31 820
10:49 840
11:12 860
11:26 880
11:47 900
12:06 920
12:20 940
12:38 960
12:48 980
13:03 1000
14:14 1020
14:25 1040
14:48 1060
15:11 1080
15:27 1100
15:51 1120
16:14 1140
16:33 1160
17:00 1180
17:15 1200
17:41 1220
18:07 1240
18:29 1260
21:58 1280
22:36 1300
23:02 1320
23:31 1340
Jul 10, 2015
00:22 1380
01:03 1400
01:24 1420
02:04 1440
02:46 1460
03:03 1480
03:28 1500
03:58 1520
04:13 1540
05:47 1560
06:05 1580
06:31 1600
06:57 1620
07:10 1640
07:38 1660
08:03 1680
08:21 1700
08:52 1720
09:17 1740
09:32 1760
09:54 1780
10:17 1800
10:23 1820
Jul 12, 2015
sk-06-03-3887
569.95ft: Connection at 571.2
570.82ft: ZWOB from SideKick
sk-06-03-3887
601.40ft: Connection at 603.0
602.27ft: ZWOB from SideKick
sk-06-03-3887
633.71ft: Connection at 634.9
633.71ft: ZWOB from SideKick
sk-06-03-3887
665.16ft: Connection at 666.9
665.59ft: ZWOB from SideKick
sk-06-03-3887
696.61ft: Connection at 698.4
696.75ft: ZWOB from SideKick
sk-06-03-3887
727.62ft: Connection at 729.9
727.91ft: ZWOB from SideKick
sk-06-03-3887
757.63ft: Connection at 761.1
758.78ft: ZWOB from SideKick
sk-06-03-3887
788.79ft: Connection at 792.9
789.94ft: ZWOB from SideKick
sk-06-03-3887
820.67ft: Connection at 824.3
820.81ft: ZWOB from SideKick
sk-06-03-3887
851.97ft: Connection at 856.0
851.97ft: ZWOB from SideKick
sk-06-03-3887
883.42ft: Connection at 887.7
883.42ft: ZWOB from SideKick
sk-06-03-3887
914.58ft: Connection at 919.2
914.58ft: IN TALLY: HOLE DEPTH
SET TO 919.2
919.19ft: ZWOB from SideKick
sk-06-03-3887
950.78ft: Connection at 950.9
950.93ft: ZWOB from SideKick
sk-06-03-3887
982.23ft: Connection at 982.6
982.23ft: ZWOB from SideKick
sk-06-03-3887
1013.68ft: SURVEY
1013.68ft: Connection at 1014.3
1013.68ft: ZWOB from SideKick
sk-06-03-3887
1045.12ft: Connection at 1045.3
1045.12ft: ZWOB from SideKick
sk-06-03-3887
1076.72ft: Connection at 1077.2
1076.72ft: ZWOB from SideKick
sk-06-03-3887
1107.88ft: Connection at 1108.9
1108.02ft: ZWOB from SideKick
sk-06-03-3887
1139.47ft: Connection at 1140.7
1139.47ft: ZWOB from SideKick
sk-06-03-3887
1170.63ft: Connection at 1172.4
1170.92ft: ZWOB from SideKick
sk-06-03-3887
1201.93ft: Connection at 1203.9
1201.93ft: ZWOB from SideKick
sk-06-03-3887
1232.80ft: Connection at 1235.8
1264.54ft: ZWOB from SideKick
sk-06-03-3887
1295.84ft: Connection at 1299.2
1295.84ft: ZWOB from SideKick
sk-06-03-3887
1326.86ft: Connection at 1330.5
1358.16ft: Connection at 1362.1
1358.16ft: IN TALLY: HOLE DEPTH
SET TO 1362.1
1362.06ft: ZWOB from SideKick
sk-06-03-3887
1393.80ft: Connection at 1393.5
1424.95ft: Connection at 1425.2
1455.83ft: Connection at 1456.6
1487.13ft: Connection at 1488.3
1487.13ft: ZWOB from SideKick
sk-06-03-3887
1515.69ft: Connection at 1519.5
1548.73ft: Connection at 1551.3
1548.73ft: WASH HOLE FOR
SURVEY
1548.73ft: PULL ONE JOINT TAKE
SURVEY
1549.16ft: ZWOB from SideKick
sk-06-03-3887
1580.46ft: Connection at 1582.9
1580.46ft: ZWOB from SideKick
sk-06-03-3887
1611.62ft: Connection at 1614.6
1611.62ft: ZWOB from SideKick
sk-06-03-3887
1643.07ft: Connection at 1646.5
1643.07ft: ZWOB from SideKick
sk-06-03-3887
1674.37ft: Connection at 1678.3
1674.37ft: ZWOB from SideKick
sk-06-03-3887
1705.53ft: Connection at 1710.0
1705.82ft: ZWOB from SideKick
sk-06-03-3887
1737.12ft: Connection at 1741.8
1737.12ft: ZWOB from SideKick
sk-06-03-3887
1768.72ft: Connection at 1773.6
1768.72ft: ZWOB from SideKick


13:24 1840
13:29 1860
13:39 1880
13:48 1900
13:52 1920
14:01 1940
14:06 1960
14:14 1980
14:24 2000
14:28 2020
15:15 2040
15:25 2060
15:30 2080
15:40 2100
15:50 2120
15:55 2140
16:06 2160
16:10 2180
16:21 2200
16:32 2220
16:37 2240
16:46 2260
16:56 2280
17:00 2300
17:10 2320
17:21 2340
17:25 2360
17:37 2380
17:41 2400
17:51 2420
18:00 2440
18:04 2460
18:11 2480
18:16 2500
19:02 2520
19:12 2540
19:18 2560
19:28 2580
19:37 2600
19:41 2620
19:49 2640
19:58 2660
20:03 2680
20:11 2700
20:20 2720
20:26 2740
20:36 2760
20:41 2780
20:52 2800
21:02 2820
21:07 2840
21:16 2860
21:25 2880
21:30 2900
21:40 2920
sk-06-03-3887
1799.59ft: Connection at 1805.0
1799.59ft: IN TALLY: HOLE DEPTH SET TO 1805.0
1804.95ft: ZWOB from SideKick
sk-06-03-3887
1827.17ft: TD HOLE AT 1827 FT
1827.17ft: CIRCULATE ON HOLE
1827.17ft: BIT DEPTH CHANGED TO 1710.7 FEET
1827.17ft: ZWOB from SideKick
sk-06-03-3887
1827.17ft: ZWOB from SideKick
sk-06-03-3887
1827.17ft: ZWOB from SideKick
sk-06-03-3887
1827.17ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: BIT DEPTH CHANGED TO 1742.0 FEET
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: TRIP OUT COULDN'T MAKE IT THROUGH FLOAT COLLER WITH HAMMER
1827.26ft: TRIP IN WITH TRI CONE
1827.26ft: TRIP IN TRI-CONE
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: BIT DEPTH CHANGED TO 1742.6 FEET
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1827.26ft: BIT DEPTH CHANGED TO 1773.9 FEET
1827.26ft: ZWOB from SideKick
sk-06-03-3887
1836.36ft: Connection at 1836.8
1836.36ft: ZWOB from SideKick
sk-06-03-3887
1867.38ft: Connection at 1868.2
1867.38ft: ZWOB from SideKick
sk-06-03-3887
1898.39ft: Connection at 1899.4
1898.39ft: ZWOB from SideKick
sk-06-03-3887
1929.55ft: Connection at 1930.9
1929.55ft: ZWOB from SideKick
sk-06-03-3887
1960.00ft: Connection at 1962.5
1960.71ft: ZWOB from SideKick
sk-06-03-3887
1991.73ft: Connection at 1994.1
1991.73ft: ZWOB from SideKick
sk-06-03-3887
2021.30ft: Connection at 2025.8
2022.74ft: SURVEY
2022.74ft: ZWOB from SideKick
sk-06-03-3887
2053.47ft: Connection at 2057.5
2054.05ft: ZWOB from SideKick
sk-06-03-3887
2085.20ft: Connection at 2088.8
2085.20ft: ZWOB from SideKick
sk-06-03-3887
2115.93ft: Connection at 2120.2
2115.93ft: IN TALLY: HOLE DEPTH SET TO 2120.2
2120.16ft: ZWOB from SideKick
sk-06-03-3887
2151.90ft: Connection at 2151.6
2151.90ft: ZWOB from SideKick
sk-06-03-3887
2183.05ft: Connection at 2183.2
2183.05ft: ZWOB from SideKick
sk-06-03-3887
2213.21ft: Connection at 2215.2
2214.65ft: ZWOB from SideKick
sk-06-03-3887
2245.66ft: Connection at 2246.5
2245.66ft: ZWOB from SideKick
sk-06-03-3887
2276.39ft: Connection at 2278.2
2276.68ft: ZWOB from SideKick
sk-06-03-3887
2307.40ft: Connection at 2310.1
2307.98ft: ZWOB from SideKick
sk-06-03-3887
2339.00ft: Connection at 2341.9
2339.28ft: ZWOB from SideKick
sk-06-03-3887
2370.59ft: Connection at 2373.6
2370.59ft: ZWOB from SideKick
sk-06-03-3887
2401.31ft: Connection at 2405.0
2401.31ft: ZWOB from SideKick
sk-06-03-3887
2432.90ft: Connection at 2436.8
2464.50ft: Connection at 2468.6
2464.50ft: IN TALLY: HOLE DEPTH SET TO 2468.6
2500.48ft: SURVEY
2500.48ft: ZWOB from SideKick
sk-06-03-3887
2529.91ft: Connection at 2531.8
2562.22ft: Connection at 2563.1
2594.39ft: Connection at 2594.7
2625.70ft: Connection at 2626.2
2657.00ft: Connection at 2658.0


21:48 2940
21:53 2960
22:00 2980
22:04 3000
22:52 3020
23:01 3040
23:07 3060
23:17 3080
23:26 3100
23:31 3120
23:40 3140
23:45 3160
23:55 3180
Jul 13, 2015
00:05 3200
00:11 3220
00:22 3240
00:32 3260
00:38 3280
00:50 3300
00:59 3320
01:06 3340
01:16 3360
01:22 3380
01:33 3400
01:44 3420
01:50 3440
01:59 3460
02:10 3480
02:16 3500
03:05 3520
03:15 3540
03:20 3560
03:31 3580
03:37 3600
03:47 3620
03:57 3640
04:02 3660
04:13 3680
04:23 3700
04:28 3720
04:38 3740
04:43 3760
04:54 3780
05:04 3800
05:10 3820
05:24 3840
05:32 3860
05:37 3880
05:45 3900
05:54 3920
05:59 3940
06:09 3960
06:19 3980
06:24 4000
07:09 4020
2657.00ft: ZWOB from SideKick sk-06-03-3887
2688.16ft: Connection at 2689.4
2719.89ft: Connection at 2721.0
2749.32ft: Connection at 2752.4
2782.07ft: ZWOB from SideKick sk-06-03-3887
2813.51ft: Connection at 2815.5
2844.10ft: Connection at 2846.6
2874.53ft: Connection at 2877.8
2904.97ft: Connection at 2909.5
2906.99ft: ZWOB from SideKick sk-06-03-3887
2938.01ft: Connection at 2941.1
2938.01ft: ZWOB from SideKick sk-06-03-3887
2968.30ft: Connection at 2973.0
2969.74ft: IN TALLY: HOLE DEPTH SET TO 2973.0
3005.13ft: Connection at 3004.1 SURVEY
3005.13ft: ZWOB from SideKick sk-06-03-3887
3036.43ft: Connection at 3035.0
3067.74ft: Connection at 3066.4
3098.17ft: Connection at 3098.0
3130.63ft: Connection at 3129.7
3160.93ft: Connection at 3161.3
3162.08ft: ZWOB from SideKick sk-06-03-3887
3193.53ft: Connection at 3193.2
3224.83ft: Connection at 3224.7
3256.28ft: ZWOB from SideKick sk-06-03-3887
3287.86ft: Connection at 3288.2
3336.91ft: Connection at 3319.9
3350.92ft: ZWOB from SideKick sk-06-03-3887
3381.63ft: Connection at 3382.9
3413.52ft: Connection at 3414.7
3414.24ft: ZWOB from SideKick sk-06-03-3887
3445.41ft: Connection at 3446.1
3475.98ft: Connection at 3477.9
3507.71ft: Connection at 3509.3 SURVEY
3507.71ft: ZWOB from SideKick sk-06-03-3887
3540.03ft: Connection at 3540.8
3571.92ft: Connection at 3572.7
3571.92ft: ZWOB from SideKick sk-06-03-3887
3603.22ft: Connection at 3604.3
3634.38ft: Connection at 3635.9
3666.24ft: Connection at 3667.4
3666.24ft: ZWOB from SideKick sk-06-03-3887
3697.41ft: Connection at 3698.7
3729.43ft: Connection at 3730.5
3729.43ft: ZWOB from SideKick sk-06-03-3887
3760.60ft: Connection at 3761.9
3791.31ft: Connection at 3793.6
3792.03ft: ZWOB from SideKick sk-06-03-3887
3823.36ft: Connection at 3825.2
3853.64ft: Connection at 3856.3
3885.53ft: Connection at 3888.1
3885.53ft: ZWOB from SideKick sk-06-03-3887
3916.83ft: Connection at 3919.4
3942.78ft: Connection at 3951.0
3979.30ft: Connection at 3982.6
3979.30ft: ZWOB from SideKick sk-06-03-3887
4007.12ft: Connection at 4014.4
4010.73ft: SURVEY @ 4000' inc.1.8 AZ 305.4


07:14 4040
07:24 4060
07:36 4080
07:41 4100
07:52 4120
08:03 4140
08:08 4160
08:18 4180
08:29 4200
08:34 4220
08:46 4240
08:51 4260
08:59 4280
09:10 4300
09:16 4320
09:29 4340
09:39 4360
09:46 4380
09:58 4400
10:09 4420
10:13 4440
10:24 4460
10:30 4480
10:41 4500
10:47 4520
11:39 4540
11:50 4560
11:57 4580
12:07 4600
12:19 4620
12:26 4640
12:37 4660
12:50 4680
12:55 4700
13:07 4720
13:21 4740
13:27 4760
13:40 4780
13:46 4800
13:57 4820
14:10 4840
14:15 4860
14:27 4880
14:41 4900
14:48 4920
14:57 4940
15:03 4960
15:14 4980
15:24 5000
15:29 5020
16:22 5040
16:33 5060
16:39 5080
16:50 5100
16:55 5120
AZ.303.4
4041.17ft: Connection at 4046.3
4042.03ft: ZWOB from SideKick
sk-06-03-3887
4071.88ft: Connection at 4078.2
4073.33ft: ZWOB from SideKick
sk-06-03-3887
4103.05ft: Connection at 4109.8
4133.20ft: Connection at 4141.5
4136.09ft: ZWOB from SideKick
sk-06-03-3887
4164.21ft: Connection at 4173.1
4195.01ft: Connection at 4204.8
4228.84ft: Connection at 4236.1
4259.42ft: Connection at 4267.5
4290.03ft: Connection at 4299.2
4291.44ft: ZWOB from SideKick
sk-06-03-3887
4321.59ft: Connection at 4331.0
4344.26ft: Connection at 4362.8
4354.20ft: ZWOB from SideKick
sk-06-03-3887
4385.07ft: Connection at 4394.4
4385.50ft: ZWOB from SideKick
sk-06-03-3887
4416.24ft: Connection at 4426.1
4416.80ft: IN TALLY: HOLE DEPTH
SET TO 4426.1
4457.71ft: Connection at 4457.4
4489.01ft: Connection at 4489.1
4489.01ft: ZWOB from SideKick
sk-06-03-3887
4520.01ft: SURVEY
4520.01ft: SURVEY @ 4500' INC.2.0
AZ.303.9
4520.01ft: Connection at 4520.8
4520.01ft: ZWOB from SideKick
sk-06-03-3887
4550.46ft: Connection at 4552.4
4574.54ft: Connection at 4584.0
4611.32ft: Connection at 4615.6
4613.65ft: ZWOB from SideKick
sk-06-03-3887
4643.08ft: Connection at 4647.4
4676.25ft: Connection at 4678.8
4707.41ft: Connection at 4710.3
4738.42ft: Connection at 4741.8
4738.42ft: ZWOB from SideKick
sk-06-03-3887
4770.01ft: Connection at 4773.6
4800.72ft: Connection at 4804.9
4830.02ft: Connection at 4836.3
4831.76ft: ZWOB from SideKick
sk-06-03-3887
4862.93ft: Connection at 4868.1
4890.19ft: Connection at 4899.8
4894.49ft: ZWOB from SideKick
sk-06-03-3887
4925.36ft: Connection at 4931.4
4925.53ft: IN TALLY: HOLE DEPTH
SET TO 4931.4
4959.97ft: Connection at 4963.2
4993.31ft: Connection at 4994.9
5026.90ft: Connection at 5026.6
5026.90ft: SURVEY @ 5000' INC.2.5
AZ.307.7
5026.90ft: ZWOB from SideKick
sk-06-03-3887
5055.77ft: Connection at 5058.0
5087.93ft: Connection at 5089.4
5088.81ft: ZWOB from SideKick
sk-06-03-3887
5088.81ft: ZWOB from SideKick
sk-06-03-3887
5118.24ft: Connection at 5121.2


17:07 5140
17:21 5160
17:28 5180
17:40 5200
17:51 5220
17:56 5240
18:07 5260
18:18 5280
18:25 5300
18:41 5320
18:54 5340
18:59 5360
19:09 5380
19:15 5400
19:25 5420
19:36 5440
19:40 5460
19:51 5480
19:56 5500
21:12 5520
21:24 5540
21:30 5560
21:42 5580
21:52 5600
21:57 5620
22:08 5640
22:20 5660
22:26 5680
22:38 5700
22:43 5720
22:54 5740
23:07 5760
23:13 5780
23:24 5800
23:36 5820
23:41 5840
23:53 5860
Jul 14, 2015
00:11 5900
00:24 5920
00:29 5940
00:40 5960
00:53 5980
00:57 6000
02:00 6020
02:11 6040
02:16 6060
02:27 6080
02:32 6100
02:44 6120
02:55 6140
03:01 6160
03:12 6180
03:23 6200
03:27 6220
5150.53ft: Connection at 5152.7
5150.98ft: ZWOB from SideKick
sk-06-03-3887
5180.12ft: Connection at 5184.5
5214.01ft: Connection at 5216.1
5245.47ft: Connection at 5247.6
5276.61ft: Connection at 5279.4
5276.61ft: ZWOB from SideKick
sk-06-03-3887
5308.07ft: Connection at 5310.9
5308.07ft: ZWOB from SideKick
sk-06-03-3887
5339.24ft: Connection at 5342.2
5339.24ft: IN TALLY: HOLE DEPTH
SET TO 5342.2
5374.80ft: Connection at 5373.9
5406.40ft: Connection at 5405.8
5406.40ft: ZWOB from SideKick
sk-06-03-3887
5437.83ft: Connection at 5437.2
5469.42ft: Connection at 5469.1
5501.31ft: Connection at 5501.0
SURVEY
5501.31ft: SURVEY @ 5500 INC.
1.5 , AZ. 325.6
5501.31ft: RIG SERVICE
5533.46ft: Connection at 5532.6
5533.46ft: ZWOB from SideKick
sk-06-03-3887
5564.07ft: Connection at 5564.3
5595.64ft: Connection at 5595.6
5596.10ft: ZWOB from SideKick
sk-06-03-3887
5627.82ft: Connection at 5627.2
5658.69ft: Connection at 5659.2
5658.69ft: ZWOB from SideKick
sk-06-03-3887
5689.99ft: Connection at 5690.9
5722.18ft: Connection at 5722.4
5722.18ft: ZWOB from SideKick
sk-06-03-3887
5753.90ft: Connection at 5754.1
5753.90ft: ZWOB from SideKick
sk-06-03-3887
5784.19ft: Connection at 5785.7
5816.21ft: Connection at 5817.4
5816.80ft: ZWOB from SideKick
sk-06-03-3887
5847.51ft: Connection at 5849.0
5879.69ft: Connection at 5880.7
5879.69ft: ZWOB from SideKick
sk-06-03-3887
5942.72ft: Connection at 5943.5
5942.72ft: ZWOB from SideKick
sk-06-03-3887
5974.48ft: Connection at 5975.2
5974.48ft: ZWOB from SideKick
sk-06-03-3887
6005.18ft: Connection at 6007.1
6005.91ft: SURVEY
6005.91ft: SURVEY @6007' INC. .7
AZ. 29.9
6005.91ft: AZ IS 26.9 NOT 29
6037.93ft: Connection at 6038.8
6037.93ft: ZWOB from SideKick
sk-06-03-3887
6100.56ft: Connection at 6101.8
6100.56ft: ZWOB from SideKick
sk-06-03-3887
6130.97ft: Connection at 6133.0
6162.43ft: Connection at 6164.4
6162.43ft: ZWOB from SideKick
sk-06-03-3887
6193.87ft: Connection at 6196.1
6225.75ft: Connection at 6227.8


03:40 6240
03:53 6260
03:57 6280
04:11 6300
04:21 6320
04:27 6340
04:41 6360
04:46 6380
04:57 6400
05:10 6420
05:17 6440
05:28 6460
05:40 6480
05:46 6500
06:54 6520
07:01 6540
07:14 6560
07:28 6580
07:34 6600
07:46 6620
07:59 6640
08:05 6660
08:17 6680
08:23 6700
08:35 6720
08:48 6740
08:53 6760
09:06 6780
09:18 6800
09:24 6820
09:37 6840
09:48 6860
09:54 6880
10:04 6900
10:10 6920
6940
6225.75ft: ZWOB from SideKick sk-06-03-3887
6257.05ft: Connection at 6259.5
6288.65ft: Connection at 6291.4
6288.65ft: ZWOB from SideKick sk-06-03-3887
6319.95ft: Connection at 6322.9
6351.84ft: Connection at 6354.7
6383.01ft: Connection at 6386.1
6414.60ft: Connection at 6417.6
6414.60ft: ZWOB from SideKick sk-06-03-3887
6445.90ft: Connection at 6449.4
6445.90ft: ZWOB from SideKick sk-06-03-3887
6477.33ft: Connection at 6481.0
6477.49ft: IN TALLY: HOLE DEPTH SET TO 6481.0
6500.13ft: ATTEMPTED TO ZERO TOTAL STROKES ATTEMPTED TO SET HOLE DEPTH TO 0.00 FEET
6512.73ft: SURVEY @ 6500' INC. 1.0 AZ.313.5
6512.73ft: Connection at 6512.6
6512.73ft: ZWOB from SideKick sk-06-03-3887
6543.47ft: Connection at 6544.1
6575.49ft: Connection at 6575.5
6606.50ft: Connection at 6607.2
6637.96ft: Connection at 6638.9
6638.25ft: ZWOB from SideKick sk-06-03-3887
6667.68ft: Connection at 6670.4
6670.11ft: ZWOB from SideKick sk-06-03-3887
6699.70ft: Connection at 6702.3
6701.15ft: ZWOB from SideKick sk-06-03-3887
6732.02ft: Connection at 6734.0
6761.71ft: Connection at 6765.6
6794.91ft: Connection at 6796.9
6794.91ft: ZWOB from SideKick sk-06-03-3887
6824.05ft: Connection at 6828.5
6855.22ft: Connection at 6859.8
6887.24ft: Connection at 6891.6
6888.39ft: IN TALLY: HOLE DEPTH SET TO 6891.6
6917.68ft: Connection at 6923.2
6923.46ft: WELL CAPPED